




## **Know Your Stream: Rotating Basin Site Summary**

### **Creek, Lincoln & Oklahoma Counties, Cross Timbers Level 3 Ecoregion**

The Oklahoma Conservation Commission (OCC) has the statutory responsibility of monitoring streams across the state in order to identify healthy streams as well as those which may be impacted by non-point source (NPS) pollution. NPS pollution is pollution which runs off the land from diffuse sources rather than being discharged from a specific source. If a stream is found to be impaired by NPS pollution, the OCC may be able to implement a voluntary cost-share program to address the identified problems; however, streams must be monitored in order to select best management practices necessary for improvement. The OCC's "Rotating Basin Monitoring Program" provides the tools to assess and then restore water quality in Oklahoma.


This leaflet gives a brief summary of the assessment results for the second 2-year cycle of the monitoring program for streams in Creek, Lincoln & Oklahoma Counties. The full report can be accessed online at: [http://www.ok.gov/conservation/Agency\\_Divisions/Water\\_Quality\\_Division/WQ\\_Monitoring/WQ\\_Assessment\\_Rotating\\_Basin\\_Monitoring\\_Program.html](http://www.ok.gov/conservation/Agency_Divisions/Water_Quality_Division/WQ_Monitoring/WQ_Assessment_Rotating_Basin_Monitoring_Program.html) or by calling (405) 522-4500 and requesting a copy of the "Rotating Basin Group 3, Cycle 2 Final Report."



**OCC Rotating Basin monitoring sites within Creek, Lincoln & Oklahoma Counties.**

Through the Rotating Basin Program, five streams in Creek, Lincoln & Oklahoma Counties were sampled approximately every five weeks from June 2008-May 2010. Eighteen water quality parameters were measured or analyzed at each site visit. In addition, OCC staff conducted one fish and habitat assessment and up to four macroinvertebrate collections. Summer samples were also analyzed for *E. coli* and *Enterococcus* bacteria. Each site was compared to "high quality" streams in the ecoregion, streams known to have high quality fish populations, benthic macroinvertebrate populations, instream and riparian habitat, and water quality. All of the data collected has been distilled into a few key components in order to produce an index score of general, overall stream health, shown on the next page.

**Summary of general stream health as determined by comparison to high quality streams in the Cross Timbers ecoregion and by assessment using Oklahoma State Water Quality Standards†.**

	<i>Good</i>	<i>Moderate</i>			<i>Poor</i>
	<b>Quapaw Creek</b>	<b>Camp Creek</b>	<b>Dry Creek</b>	<b>Deep Fork of North Canadian River</b>	<b>Salt Creek</b>
<b>Overall Stream Health</b>	<b>39</b>	<b>36</b>	<b>33</b>	<b>31</b>	<b>21</b>
Phosphorus	5	5	5	1	5
Nitrogen	5	5	5	1	5
Ammonia	5	5	5	5	5
Dissolved Oxygen	5	-5	5	5	-5
pH	5	5	5	5	5
Turbidity	5	5	-5	5	5
Salts (chloride, sulfate, TDS)	5	5	5	5	-5
Fish	1	1	3	1	3
Macroinvertebrates	3	NF	5	3	3
Instream/Riparian Habitat	5	5	5	5	5
Bacteria	-5	5	-5	-5	-5
<i>Scale of 1-5 with 5 being the best</i>					
<b>KEY:</b> 1 = Significantly different than high quality sites; 3 = Not as good as high quality sites but not impaired 5 = Equal to or better than high quality sites in the area -5 = Impaired by state standards					

**Note:** Most streams in Oklahoma are classified as impaired by at least one type of bacteria.

**Quapaw Creek (OK520700-04-0260C):** This stream is impaired by state standards for bacteria. The fish community was of significantly lower quality and the macroinvertebrate community of slightly lower quality than the high quality sites within the ecoregion. All other parameters were comparable.

**Camp Creek (OK520700-03-0220G):** This stream is impaired by state standards for low dissolved oxygen. The fish community was of significantly lower quality than the high quality sites. There is no value for the macroinvertebrate community due to lack of available habitat with flowing water (NF = no flow) which is the main criteria for OCC macroinvertebrate collection protocol.

**Dry Creek (OK520700-04-0020F):** This stream is impaired by state standards for elevated turbidity and bacteria levels. The fish community was of slightly lower quality compared to high quality streams within the ecoregion. All other parameters are comparable to high quality sites within the ecoregion.

**Deep Fork of North Canadian River (OK520710-01-0010G):** This stream is impaired by state standards for bacteria. The phosphorus and nitrogen concentrations were significantly elevated compared to high quality sites. The fish community was of significantly lower quality and the macroinvertebrate community of slightly lower quality when compared to high quality streams within the ecoregion.

**Salt Creek (OK520700-03-0100B):** This stream is impaired by state standards for dissolved oxygen, bacteria and salts. The fish and macroinvertebrate communities were of slightly lower quality than the high quality sites within the ecoregion.

† The use of Oklahoma Water Quality Standards to assess streams and the 2010 results are described in the DEQ's 2010 Integrated Report, accessible online at:  
[http://www.deq.state.ok.us/wqdnew/305b\\_303d/2010\\_integrated\\_report\\_entire\\_document.pdf](http://www.deq.state.ok.us/wqdnew/305b_303d/2010_integrated_report_entire_document.pdf)

